Google Search: "cool ice" +web



Web Images Groups News Froogle Local more »

"cool ice" +web

Search Advanced Search Preferences

## Web

Results 11 - 20 of about 11,300 for "cool ice" +web. (0.11 seconds)

## Lisa's Ice Skating & Figure Skating Page

Another super ice skating web site is Don Korte's "The Figure Skater's WebSite". ... Clipart Galore pages, plus some of her own cool ice skating images. ... www.icesk8.com/iceskate.htm - 32k - Cached - Similar pages

# Cool to be Canadian ICE FIGHTERS battle Eastern Ice Storm 98 Web Site

Ice Storm Radio Interview | Cool ICE FIGHTERS Coordinating Centres. 1. Click here to JOIN the ICE FIGHTER Action Team 2. Click here to DONATE Equipment or ... www.cool.ca/cool en/icestorm1.htm - 10k - Cached - Similar pages

## Welcome to Cool to be Canadian - Flood 1997

Cool ICE FIGHTERS Coordinating Centres. Red Cross Operation Ice Storm ... "click here to visit the WEB SITE CAFE on the West Island of Montreal, ... www.cool.ca/cool\_en/icestorm\_links.htm - 14k - <u>Cached - Similar pages</u>
[More results from www.cool.ca]

### Four Seasons Centre Cool Ice Links

Return to Steele County home page Frequently Asked Questions Facts and Figures Department Index Web Site Index Last Updated October 2002. www.co.steele.mn.us/FOURSEAS/icelinks.htm - 9k - Cached - Similar pages

#### Four Seasons Centre Cool Ice Links

... information about Steele County, Minnesota Return to Steele County home page Frequently Asked Questions Facts and Figures Department Index Web Site Index. www.co.steele.mn.us/FOURSEAS/icelinks.html - 10k - Cached - Similar pages

# **CYBERMETICS - MAPPER Today**

Cool ICE is a Web application server and set of development tools that enables you to ... Using Cool ICE, developers can create new Web-based business ... cybermetics.com/MAPPER%20today.htm - 22k - <u>Cached</u> - <u>Similar pages</u>

## **Bottled Water**

Source Direct introduces the new and innovative Super Cool Ice Towel to the ... For more information on these great products, visit our web site today. ... www.fetesandfestivals.com.au/bottledwaterfa.htm - 40k - Cached - Similar pages

## Stay Cool: Ice Cream Capital of the World

Site search **Web** search powered by FreeFind. Sponsor. Digon. Advertise on this site. Social Studies for Kids copyright 2002-5, David White ... www.socialstudiesforkids.com/articles/icecream.htm - 10k - <u>Cached</u> - <u>Similar pages</u>

# What's new

Pocket Tunes 1.86 By Cool Ice Cream. AeroPlayer 2.5B By Cool Ice Cream ... For problems or questions regarding this web contact Webmaster ... mrtaxi.karnt.com/downloads.htm - 92k - Cached - Similar pages

## Mapper Programming - shareware downloads for Mapper

Web design company Salisbury. Website design & E-commerce Wiltshire, ... How we

maximise Mapper/Cool ICE. Written and compiled by Chris Stanbury - described ... www.cravenplan.co.uk/mapper.htm - 31k - Jun 21, 2005 - Cached - Similar pages

Search "cool ice" +web

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google ©2005 Google



Search: The ACM Digital Library

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction

# A hierarchy-aware approach to faceted classification of objected-oriented components

Full text

<u>Pdf</u> (310 KB)

Source

ACM Transactions on Software Engineering and Methodology (TOSEM) archive

Volume 8, Issue 3 (July 1999) table of contents

Pages: 215 - 262 Year of Publication: 1999 ISSN:1049-331X

Authors

E. Darniani Univ. Statale di Milano, Polo di Crema, Crema, Italy

M. G. Fugini Politechnico di Milano, Milan, Italy C. Bellettini Univ. Statale di Milano, Milan, Italy

Publisher ACM Press New York, NY, USA

abstract references citings index terms review collaborative colleagues peer to Additional Information

peer

**Tools and Actions:** 

Discussions Find similar Articles Review this Article

Save this Article to a Binder Display Formats: BibTex EndNote ACM Ref

**DOI Bookmark:** 

Use this link to bookmark this Article: http://doi.acm.org/10.1145/310663.310665

What is a DOI?

#### ↑ ABSTRACT

This article presents a hierarchy-aware classification schema for object-oriented code, where software components are classified according to their behavioral/characteristics, such as provided services, employed algorithms, and needed data. In the case of reusable application frameworks, these characteristics are constructured from their model, i.e., from the description of the abstract classes specifying both the framework structure and purpose. In conventional object libraries, the characteristics are extracted semiautomatically from class interfaces. Characteristics are term pairs, weighted to represent "how well" they describe component behavior. The set of characteristics associated with a given component forms its software descriptor. A descriptor base is presented where descriptors are organized on the basis of structured relationships, such as similarity and composition. The classification is supported by a thesaurus acting as a language-independent unified lexicon. The descriptor base is conceived for developers who, besides conventionally browsing the descriptors hierarchy, can query the system, specifying a set of desired functionalities and getting a ranked set of adaptable candidates. User feedback is taken into account in order to progressively ameliorate the quality of the descriptors according to the views of the user community. Feedback is made dependent of the user typology through a user profile. Experimental results in terms of recall and precision of the retrieval mechanism against a sample code base are reported.

#### REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

D. Vijay Rao, V. V. S. Sarma, A rough: fuzzy approach for retrieval of candidate components for software reuse, Pattern Recognition Letters, v.24 n.6, p.875-886, March 2003

Fabio A. Schreiber, Alberto Belussi, Valeria De Antonellis, Maria Grazia Fugini, Giuseppe Pozzi, Letizia Tanca, Luca Tosi, The design of a web-geographical information system: an experience in the integration of territorial reclamation support services, Web-enabled systems integration: practices and challenges, Idea Group Publishing, Hershey, PA, 2003

C. Bellettini, E. Damiani, M. G. Fugini, User opinions and rewards in a reuse-based development system, Proceedings of the 1999 symposium on Software reusability, p.151-158, May 21-23, 1999, Los Angeles, California, United States

#### ♠ INDEX TERMS

## **Primary Classification:**

H. Information Systems

H.3 INFORMATION STORAGE AND RETRIEVAL

#### General Terms:

Documentation

### Keywords:

code analysis, component repositories, component retrieval, software reuse, user feedback

#### **↑ REVIEW**

"Friedrich Gebhardt"

The task considered here is to index and retrieve software components from an object-oriented software library. Indexing is by verb-noun pairs, such as "Get Document" or "Restore Cursor." These descriptors, called features, are initially taken automatically from the software code: essentially, the system combines each method provided by the software component with its first argument. The details differ depending on the library type; libraries are either conventional software libraries or application frameworks. Each descriptor is given a weight. The hierarchy provided by the library is also exploited. The descriptors and weights may be changed by the application engineer. Consistency in the choice of features is essential, and is achieved, for instance, by a naming discipline in the software library. The retrieval index is divided into several parts, called facets, which are defined by the application engineer. A software component may have descriptors in one or more facets; identical descriptors may appear in several facets; and a search may cover one or more facets. An affinity between descriptors, wrongly called "synonymy," is computed for expanding queries. Some ideas for user feedback are added. The retrieval experiments described essentially use five queries on 95 software components. Unfortunately, the text is often unclear or incomplete. For instance, the definition of descriptors mentions elements C1 to CC without explaining what they mean. Some figures are incomprehensible, in part due to missing letters (probably because of some software incompatibility). While one may guess that "emove" should read "Remove," the meanings of "odiy" (Modify) and "D cIte" (DocItem) are harder to figure out, and other terms remain mysterious. Online Computing Reviews Service

#### ↑ Collaborative Colleagues:

C. Bellettini: E. Damiani M. G. Fugini



Search: The ACM Digital Library C The Guide

"cool ice" +database +web



# THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used cool ice database web

Found 12,196 of 157,956

Sort results bν

relevance Display

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

expanded form Open results in a new results window

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale 🔲 📟 📟

Best 200 shown

Results 1 - 20 of 200

7

QProber: A system for automatic classification of hidden-Web databases Luis Gravano, Panagiotis G. Ipeirotis, Mehran Sahami January 2003 ACM Transactions on Information Systems (TOIS), Volume 21 Issue 1

Full text available: R pdf(3.62 MB)

Additional Information: full citation, abstract, references, citings, index terms

The contents of many valuable Web-accessible databases are only available through search interfaces and are hence invisible to traditional Web "crawlers." Recently, commercial Web sites have started to manually organize Web-accessible databases into Yahoo!-like hierarchical classification schemes. Here we introduce QProber, a modular system that automates this classification process by using a small number of query probes, generated by document classifiers. OProber can use a variety of types of ...

Keywords: Database classification, Web databases, hidden Web

Enabling dynamic content caching for database-driven web sites K. Selçuk Candan, Wen-Syan Li, Qiong Luo, Wang-Pin Hsiung, Divyakant Agrawal May 2001 ACM SIGMOD Record, Proceedings of the 2001 ACM SIGMOD international conference on Management of data, Volume 30 Issue 2

Full text available: R pdf(319,67 KB)

Additional Information: full citation, abstract, references, citings, index

Web performance is a key differentiation among content providers. Snafus and slowdowns at major web sites demonstrate the difficulty that companies face trying to scale to a large amount of web traffic. One solution to this problem is to store web content at server-side and edge-caches for fast delivery to the end users. However, for many e-commerce sites, web pages are created dynamically based on the current state of business processes, represented in application servers and databases

**Keywords:** JDBC, application server, database driven web site, dynamic content caching, invalidation, web acceleration

Probe, count, and classify: categorizing hidden web databases

Panagiotis G. Ipeirotis, Luis Gravano, Mehran Sahami

May 2001 ACM SIGMOD Record, Proceedings of the 2001 ACM SIGMOD international conference on Management of data, Volume 30 Issue 2

Full text available: pdf(389.34 KB)

Additional Information: full citation, abstract, references, citings, index

#### terms

The contents of many valuable web-accessible databases are only accessible through search interfaces and are hence invisible to traditional web "crawlers." Recent studies have estimated the size of this "hidden web" to be 500 billion pages, while the size of the "crawlable" web is only an estimated two billion pages. Recently, commercial web sites have started to manually organize web-accessible databases into Yahoo!-like hierarchical classification schemes ...

4 WSQ/DSQ: a practical approach for combined querying of databases and the Web Roy Goldman, Jennifer Widom



May 2000 ACM SIGMOD Record, Proceedings of the 2000 ACM SIGMOD international conference on Management of data, Volume 29 Issue 2

Full text available: R pdf(223,65 KB)

Additional Information: full citation, abstract, references, citings, index terms -

We present WSQ/DSQ (pronounced "wisk-disk"), a new approach for combining the query facilities of traditional databases with existing search engines on the Web. WSQ, for Web-Supported (Database) Queries, leverages results from Web searches to enhance SQL queries over a relational database. DSQ, for Database-Supported (Web) Queries, uses information stored in the database to enhance and explain Web searches. This paper focuses primarily on WSO, describing a simple, lo ...

Database techniques for the World-Wide Web: a survey Daniela Florescu, Alon Levy, Alberto Mendelzon September 1998 ACM SIGMOD Record, Volume 27 Issue 3



Full text available: pdf(1.79 MB) Additional Information: full citation, citings, index terms

Automating information overload: linking databases to the Web Leonard A. White



November 1997 Proceedings of the 25th annual ACM SIGUCCS conference on User services: are you ready?

Full text available: pdf(613,10 KB) Additional Information: full citation, references, index terms

Surveys: Structured databases on the web: observations and implications Kevin Chen-Chuan Chang, Bin He, Chengkai Li, Mitesh Patel, Zhen Zhang September 2004 ACM SIGMOD Record, Volume 33 Issue 3



Full text available: 📆 odf(393.19 KB) Additional Information: full citation, abstract, references, citings

The Web has been rapidly "deepened" by the prevalence of databases online. With the potentially unlimited information hidden behind their query interfaces, this "deep Web" of searchable databses is clearly an important frontier for data access. This paper surveys this relatively unexplored frontier, measuring characteristics pertinent to both exploring and integrating structured Web sources. On one hand, our "macro" study surveys the deep Web at large, in April 2004, adopting the random IP-sa ...

8 Web crawling and exploration: A two-phase sampling technique for information extraction from hidden web databases



Y. L. Hedley, M. Younas, A. James, M. Sanderson

November 2004 Proceedings of the 6th annual ACM international workshop on Web information and data management

Full text available: pdf(563.56 KB) Additional Information: full citation, abstract, references, index terms

Hidden Web databases maintain a collection of specialised documents, which are dynamically generated in response to users' queries. However, the documents are generated by Web page templates, which contain information that is irrelevant to queries. This paper presents a Two-Phase Sampling (2PS) technique that detects templates and extracts query-related information from the sampled documents of a database. In the first phase, 2PS queries databases with terms contained in their search interfac ...

**Keywords:** document sampling, hidden web databases, information extraction

Querying web metadata: Native score management and text support in databases Gültekin Özsoyo□lu, Ismail Sengör Altingövde, Abdullah Al-Hamdani, Selma Ayse Özel, Özgür Ulusov, Zehra Meral özsovo□lu

December 2004 ACM Transactions on Database Systems (TODS), Volume 29 Issue 4

Full text available: pdf(737,76 KB) Additional Information: full citation, abstract, references, index terms

In this article, we discuss the issues involved in adding a native score management system to object-relational databases, to be used in querying Web metadata (that describes the semantic content of Web resources). The Web metadata model is based on topics (representing entities), relationships among topics (called metalinks), and importance scores (sideway values) of topics and metalinks. We extend database relations with scoring functions and importance scores. We add to SQL score-manag ...

**Keywords:** Score management for Web applications

10 Evaluating top-k gueries over web-accessible databases

Amélie Marian, Nicolas Bruno, Luis Gravano


June 2004 ACM Transactions on Database Systems (TODS), Volume 29 Issue 2

Full text available: pdf(1.03 MB) Additional Information: full citation, abstract, references, index terms

A query to a web search engine usually consists of a list of keywords, to which the search engine responds with the best or "top" k pages for the query. This top-k query model is prevalent over multimedia collections in general, but also over plain relational data for certain applications. For example, consider a relation with information on available restaurants, including their location, price range for one diner, and overall food rating. A user who queries such a relation might ...

**Keywords:** Parallel query processing, query optimization, top-k query processing, web databases.

11 Workshop on testing, analysis and verification of web services (TAV-WEB) papers:



Yuetang Deng, Phyllis Frankl, Jiong Wang

September 2004 ACM SIGSOFT Software Engineering Notes, Volume 29 Issue 5

Full text available: pdf(110.98 KB) Additional Information: full citation, abstract, references

Commercial, scientific, and social activities are increasingly becoming dependent on Web database applications. New testing techniques that handle the unique features of these systems are needed. To that end, we have extended AGENDA, a tool set for testing relational database applications, to test web database applications. Application source code is analyzed to extract relevant information about the URLs and their parameters. This information is used to construct and simplify a graph in which n ...

Keywords: database, software testing, web application



<sup>12</sup> A security paradigm for Web databases



Chuanxue Bi, Nenad Jukic

April 1999 Proceedings of the 37th annual Southeast regional conference (CD-ROM)

Full text available: pdf(24.52 KB) Additional Information: full citation, index terms

13 OAI application: Extending SDARTS: extracting metadata from web databases and interfacing with the open archives initiative



Panagiotis G. Ipeirotis, Tom Barry, Luis Gravano

July 2002 Proceedings of the 2nd ACM/IEEE-CS joint conference on Digital libraries

Full text available: ndf(303.33 KB) Additional Information: full citation, abstract, references, index terms

SDARTS is a protocol and toolkit designed to facilitate metasearching. SDARTS combines two complementary existing protocols, SDLIP and STARTS, to define a uniform interface that collections should support for searching and exporting metasearch-related metadata. SDARTS also includes a toolkit with wrappers that are easily customized to make both local and remote document collections SDARTS-compliant. This paper describes two significant ways in which we have extended the SDARTS toolkit. First, we ...

Keywords: SDLIP, distributed searching, metadata, metasearching, web databases, wrapper construction

14 Exploring the tradeoff between performance and data freshness in database-driven Web servers



Alexandros Labrinidis, Nick Roussopoulos

September 2004 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 13 Issue 3

Full text available: pdf(387.89 KB) Additional Information: full citation, abstract, index terms

Personalization, advertising, and the sheer volume of online data generate a staggering amount of dynamic Web content. In addition to Web caching, view materialization has been shown to accelerate the generation of dynamic Web content. View materialization is an attractive solution as it decouples the serving of access requests from the handling of updates. In the context of the Web, selecting which views to materialize must be decided online and needs to consider both performance and data fresh ...

15 Data mining and database technology: Using metadata for developing automated Web system interface



Abdualrraouf A. Elbibas, M. J. Ridley

September 2003 Proceedings of the 1st international symposium on Information and communication technologies

Full text available: pdf(106.69 KB) Additional Information: full citation, abstract, references

In this paper we look into implementing a web interface design for applications that have a database element, we look at how and to what extent we can use information (Metadata) held in system catalog tables in databases to produce a better and automated Web interface that can easily accommodate changes in the underlying data model by altering those tables, rather than requiring changes to the interface code. We use Java and particularly Java Database Connectivity (JDBC), which provides a very q ...

Keywords: Java Database Connectivity (JDBC), Web system interface, metadata, relational database

16 Implementation of a dynamic Web database: interface using cold fusion Gary Hutchinson, Greg Baur, Darleen Pigford



October 1998 Proceedings of the 26th annual ACM SIGUCCS conference on User services

17 DBMS course: web based database administration tool and class projects



Sub Ramakrishnan, Emeka Nwosu January 2003 ACM SIGCSE Bulletin, Proceedings of the 34th SIGCSE technical

Full text available: (399.49 KB) Additional Information: full citation, references, index terms

symposium on Computer science education, Volume 35 Issue 1 Full text available: pdf(219.63 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we discuss a software tool we have developed for use in undergraduate DBMS courses, that provides: (i) a web-enabled database set up and administration facility for faculty use, and (ii) web-based database projects that may be assigned to students. We discuss the motivation for our work and the objectives underlying the design of the tool. The significance of our work is two-fold. First, it should help the instructor in the set up, management, and monitoring of student database acc ...

Keywords: client-server communication, database, user interface, web-based techniques

18 Webquery: a simple web-enabled system for database management Ping Wang, Qingru Zhang



March 2002 Journal of Computing Sciences in Colleges, Volume 17 Issue 4

Full text available: pdf(586.12 KB) Additional Information: full citation, abstract, references, index terms

Many existing tools support developing Web-enabled database interfaces. However, most of these tools are limited in the sense that they only work with a particular database product or Web server. In this paper, we describe WebQuery, a system for defining such interfaces that runs under any popular operating system, works with any Web server that supports CGI scripting and is compatible with many different database systems. The WebQuery system supports defining data (tables), defining queries, ex ...

19 Applications of Java programming: Automatic code generation for database-oriented web applications



Branko Milosavljević, Milan Vidaković, Zora Konjović

June 2002 Proceedings of the inaugural conference on the Principles and Practice of programming, 2002 and Proceedings of the second workshop on Intermediate representation engineering for virtual machines, 2002

Full text available: pdf(448.02 KB)

Additional Information: full citation, abstract, references, citings, index terms

The paper presents an architecture for database-oriented web applications. Then it introduces concepts which form a foundation for a code generation tool that supports the software construction process in the web application domain. The tool follows simple rules about mapping JavaBean components to the database schema and generates components, as well as a set of standardized JSP pages. The mapping is specified as an instance of an XML Schema document presented here. Efficiency of this tool is a ...

Developing integrated Web and database applications using JAVA applets and JDBC drivers



Andrew Yang, James Linn, David Quadrato

March 1998 ACM SIGCSE Bulletin, Proceedings of the twenty-ninth SIGCSE technical symposium on Computer science education, Volume 30 Issue 1

Full text available: pdf(551.88 KB)

Additional Information: full citation, abstract, references, citings, index terms

With the maturity of network technology, the deterministic factor of a 'successful' web site does not as much depend on its connectivity to the Internet, rather the content of web pages plays a more important role. The inclusion of dynamic data, for example, has become an increasingly desirable feature of a web page. Web servers that support dynamic web pages are capable of retrieving data at the time of user requests. Rather than being statically included in the web page, these dynamically retr ...

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Search: • The ACM Digital Library C The Guide

"cool ice" +database "web front end"

# THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used cool ice database web front end

Found 2,697 of 157,956

Sort results bν

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form 7

Open results in a new window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale 🔲 📟 🖬

Best 200 shown

1 Applications of Java programming: Automatic code generation for database-oriented web applications

Branko Milosavljević, Milan Vidaković, Zora Konjović

June 2002 Proceedings of the inaugural conference on the Principles and Practice of programming, 2002 and Proceedings of the second workshop on Intermediate representation engineering for virtual machines, 2002

Full text available: pdf(448.02 KB)

Additional Information: full citation, abstract, references, citings, index

The paper presents an architecture for database-oriented web applications. Then it introduces concepts which form a foundation for a code generation tool that supports the software construction process in the web application domain. The tool follows simple rules about mapping JavaBean components to the database schema and generates components, as well as a set of standardized JSP pages. The mapping is specified as an instance of an XML Schema document presented here. Efficiency of this tool is a ...

2 Technical and art demonstrations session 2: METIS: a flexible database foundation for [ unified media management



Ross King, Niko Popitsch, Utz Westermann

October 2004 Proceedings of the 12th annual ACM international conference on Multimedia

Full text available: pdf(121.27 KB) Additional Information: full citation, abstract, references, index terms

Current multimedia database systems largely focus on specific media types and/or application domains. This paper gives a sketch of METIS, a database solution for the unified management of any kind of digital media, characterized by profound customizability for domain or application needs. The system core is based on an expressive data model that can be adapted to any scheme for media management, description, and classification desired, and can accommodate arbitrary query operators, similarity ...

Keywords: multimedia database systems, unified media management

Virtual database technology

Ashish Gupta, Venky Harinarayan, Anand Rajaraman December 1997 ACM SIGMOD Record, Volume 26 Issue 4

Full text available: pdf(400.13 KB) Additional Information: full citation, citings, index terms

Industrial papers: databases and service oriented architectures: Model-driven design of service-enabled web applications

Marco Brambilla, Stefano Ceri, Piero Fraternali, Roberto Acerbis, Aldo Bongio June 2005 Proceedings of the 2005 ACM SIGMOD international conference on Management of data

Full text available: pdf(379.86 KB) Additional Information: full citation, abstract, references

Significant efforts are currently invested in application integration to enable the interaction and composition of business processes of different companies, yielding complex; multiparty processes. Web service standards, based on WSDL, have been adopted as a processto-process communication paradigm. This paper presents an industrial experience in integrating data-intensive and process-intensive Web applications through Web services. Design of sites and of Web services interaction exploits mode ...

5 Industrial sessions: big data: The SDSS skyserver: public access to the sloan digital sky server data

Alexander S. Szalay, Jim Gray, Ani R. Thakar, Peter Z. Kunszt, Tanu Malik, Jordan Raddick, Christopher Stoughton, Jan vandenBerg

June 2002 Proceedings of the 2002 ACM SIGMOD international conference on Management of data

Additional Information: full citation, abstract, references, citings, index Full text available: R pdf(1,48 MB)

The SkyServer provides Internet access to the public Sloan Digital Sky Survey (SDSS) data for both astronomers and for science education. This paper describes the SkyServer goals and architecture. It also describes our experience operating the SkyServer on the Internet. The SDSS data is public and well-documented so it makes a good test platform for research on database algorithms and performance.

Payroll made easy: develping a Web based system for student employee payroll William S. Thieke

October 2000 Proceedings of the 28th annual ACM SIGUCCS conference on User services: Building the future

Full text available: pdf(258.04 KB) Additional Information: full citation, index terms

Keywords: Filemaker Pro., automation, database publication to the Web, dynamic Web pages, payroll

7 Data Management: Beyond the Traditional: The Enosys Markets data integration platform: lessons from the trenches

Yannis Papakonstantinou, Vasilis Vassalos

October 2001 Proceedings of the tenth international conference on Information and knowledge management

Full text available: ndf(966.55 KB) Additional Information: full citation, abstract, index terms

Enosys Markets offers a state-of-the-art data integration software platform to support the development of the next generation of eBusiness applications that deliver value by providing new levels of function for customer relationship management, e-commerce, supply chain management, and decision support. These applications require that data be integrated from information sources that exist both within and across organizational boundaries. The Enosys Markets data integration architecture and produc ...



Keywords: XML, distributed querying, heterogeneous databases, integration, mediators, query forms, reports, semistructured data 8 sTeam: structuring information in team-distributed knowledge management in cooperative learning environments August 2001 Journal on Educational Resources in Computing (JERIC) Additional Information: full citation, abstract, references, index terms, Full text available: pdf(179.03 KB) review Learning is a socially embedded design process. But most of todays hypermedia systems fail to properly support the design-related and the social aspects of learning. Authoring and Web-publishing systems aim to support the authors design processes. Consequently, the activities of learners are confined to selecting and reading. Based on some fundamental reflections on the role of technology in learning processes, we conclude that top priority must be given to the construction of infrastructur ... **Keywords**: cooperative learning, cooperative support, learner-centered approaches, sTeam (structuring information in a team), web-based learning and teaching 9 sTeam - Designing an integrative infrastructure for Web-based computer-supported cooperative learning Thorsten Hampel, Reinhard Keil-Slawik April 2001 Proceedings of the 10th international conference on World Wide Web Full text available: pdf(265.67 KB) Additional Information: full citation, references, index terms Keywords: cooperation support, cooperative learning, learner-centered approaches, sTeam - structuring information in a team, web-based learning and teaching 10 Designing wrapper components for e-services in integrating heterogeneous systems Massimo Mecella, Barbara Pernici August 2001 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 10 Issue 1 Full text available: ndf(292,68 KB) Additional Information: full citation, abstract, citings, index terms Component-based approaches are becoming more and more popular to support Internetbased application development. Different component modeling approaches, however, can be adopted, obtaining different abstraction levels (either conceptual or operational). In this paper we present a component-based architecture for the design of e-applications, and discuss the concept of wrapper components as building blocks for the development of eservices, where these services are based on legacy systems. We dis ... Keywords: Component, Cooperation, Integration, Legacy system, Wrapper, e-application, e-service 11 edesk online—internal development and deployment of help desk management software Charlie Hitlin, Catherine Roy, Dean Tallman October 2000 Proceedings of the 28th annual ACM SIGUCCS conference on User services: Building the future Full text available: pdf(34.72 KB) Additional Information: full citation, index terms

**Keywords:** Active Server Pages, call tracking, client-server database development, help desk, job tracking 12 Technical papers: software understanding: Hipikat: recommending pertinent software development artifacts Davor Čubranić, Gail C. Murphy May 2003 Proceedings of the 25th International Conference on Software Engineering Full text available: Additional Information: full citation, abstract, references, citings, index Publisher Site A newcomer to a software project must typically come up-to-speed on a large, varied amount of information about the project before becoming productive. Assimilating this information in the open-source context is difficult because a newcomer cannot rely on the mentoring approach that is commonly used in traditional software developments. To help a newcomer to an open-source project become productive faster, we propose Hipikat, a tool that forms an implicit group memory from the information stored ... 13 Corrigenda: a hierarchy-aware approach to faceted classification of object-oriented components E. Damiani, M. G. Fugini, C. Bellettini October 1999 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 8 Issue 4 Additional Information: full citation, abstract, references, citings, index Full text available: pdf(310.50 KB) This article presents a hierarchy-aware classification schema for object-oriented code, where software components are classified according to their behavioral characteristics, such as provided services, employed algorithms, and needed data. In the case of reusable application frameworks, these characteristics are constructed from their model, i.e., from the description of the abstract classes specifying both the framework structure and purpose. In conventio ... <sup>14</sup> A hierarchy-aware approach to faceted classification of objected-oriented components E. Damiani, M. G. Fugini, C. Bellettini July 1999 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 8 Issue 3 Additional Information: full citation, abstract, references, citings, index Full text available: pdf(310.25 KB) terms, review This article presents a hierarchy-aware classification schema for object-oriented code, where software components are classified according to their behavioral characteristics, such as provided services, employed algorithms, and needed data. In the case of reusable application frameworks, these characteristics are constructured from their model, i.e., from the description of the abstract classes specifying both the framework structure and purpose. **Keywords:** code analysis, component repositories, component retrieval, software reuse, user feedback 15 Flexible consistency checking Christian Nentwich, Wolfgang Emmerich, Anthony Finkelstein, Ernst Ellmer January 2003 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 12 Issue 1

The problem of managing the consistency of heterogeneous, distributed software engineering documents is central to the development of large and complex systems. We show how this problem can be addressed using xlinkit, a lightweight framework for consistency checking that leverages standard Internet technologies. klinkit provides flexibility, strong diagnostics, and support for distribution and document heterogeneity. We use xlinkit in a comprehensive case study that demonstrates how design, impl  Keywords: CASE tools, consistency management, constraint checking, multiple perspectives  Matthew M. Burke  May 2004 Journal of Computing Sciences in Colleges, Volume 19 Issue 5  Full text available: pdf(118.58 KB) Additional Information: full citation, abstract, references  Having students keep a diary in which they are required to reflect on course material is a proven technique for increasing student mastery of a subject. I am interested in the possibility that using instant messaging as the interface for a diary might offer advantages over a hand-written, paper diary. I discuss my initial experiences using an instant messaging diary and outline future plans for this project.  17 Service deployment for virtual enterprises  J. Yang, W. J. van den Heuvel, M. P. Papazoglou  January 2001 Australian Computer Science Communications, Volume 23 Issue 6  Full text available: pdf(892.19 KB)  Additional Information: full citation, abstract, references, citings  Additional Information: full citation, abstract, references, citings  Additional Information: full citation, abstract, references, citings
Instant messaging and course diaries  Matthew M. Burke May 2004 Journal of Computing Sciences in Colleges, Volume 19 Issue 5  Full text available: pdf(118.56 KB) Additional Information: full citation, abstract, references  Having students keep a diary in which they are required to reflect on course material is a proven technique for increasing student mastery of a subject. I am interested in the possibility that using instant messaging as the interface for a diary might offer advantages over a hand-written, paper diary. I discuss my initial experiences using an instant messaging diary and outline future plans for this project.  17 Service deployment for virtual enterprises  J. Yang, W. J. van den Heuvel, M. P. Papazoglou  January 2001 Australian Computer Science Communications, Volume 23 Issue 6  Full text available: pdf(892.19 KB)  Additional Information: full citation, abstract, references, citings  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
Matthew M. Burke May 2004 Journal of Computing Sciences in Colleges, Volume 19 Issue 5  Full text available: pdf(118.56 KB) Additional Information: full citation, abstract, references  Having students keep a diary in which they are required to reflect on course material is a proven technique for increasing student mastery of a subject. I am interested in the possibility that using instant messaging as the interface for a diary might offer advantages over a hand-written, paper diary. I discuss my initial experiences using an instant messaging diary and outline future plans for this project.  17 Service deployment for virtual enterprises J. Yang, W. J. van den Heuvel, M. P. Papazoglou January 2001 Australian Computer Science Communications, Volume 23 Issue 6  Full text available: pdf(892.19 KB)  Additional Information: full citation, abstract, references, citings  Publisher Site  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
Full text available: pdf(118.56 KB) Additional Information: full citation, abstract, references  Having students keep a diary in which they are required to reflect on course material is a proven technique for increasing student mastery of a subject. I am interested in the possibility that using instant messaging as the interface for a diary might offer advantages over a hand-written, paper diary. I discuss my initial experiences using an instant messaging diary and outline future plans for this project.  17 Service deployment for virtual enterprises  J. Yang, W. J. van den Heuvel, M. P. Papazoglou  January 2001 Australian Computer Science Communications, Volume 23 Issue 6  Full text available: pdf(892.19 KB)  Additional Information: full citation, abstract, references, citings  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
proven technique for increasing student mastery of a subject. I am interested in the possibility that using instant messaging as the interface for a diary might offer advantages over a hand-written, paper diary. I discuss my initial experiences using an instant messaging diary and outline future plans for this project.  17 Service deployment for virtual enterprises  J. Yang, W. J. van den Heuvel, M. P. Papazoglou  January 2001 Australian Computer Science Communications, Volume 23 Issue 6  Full text available: pdf(892.19 KB)  Additional Information: full citation, abstract, references, citings  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
J. Yang, W. J. van den Heuvel, M. P. Papazoglou January 2001 Australian Computer Science Communications, Volume 23 Issue 6  Full text available: pdf(892.19 KB)  Additional Information: full citation, abstract, references, citings  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
J. Yang, W. J. van den Heuvel, M. P. Papazoglou January 2001 Australian Computer Science Communications, Volume 23 Issue 6  Full text available: pdf(892.19 KB)  Additional Information: full citation, abstract, references, citings  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
Full text available: pdf(892.19 KB) Additional Information: full citation, abstract, references, citings  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
Additional Information: full citation, abstract, references, citings  Publisher Site  The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make
applications based on service invocations. Although network-centric technologies will make
(e-services) and networked services which share existing e-services is still an ad-hoc, very demanding, and time consuming task. In this paper we propose an integrated framework for e-services spanning legacy systems and modern enterpris
The Satchel system architecture: mobile access to documents and services  Mike Flynn, David Pendlebury, Chris Jones, Marge Eldridge, Mik Lamming  December 2000 Mobile Networks and Applications, Volume 5 Issue 4
Full text available: pdf(207.51 KB)  Additional Information: full citation, abstract, references, citings, index terms
Mobile professionals require access to documents and document‐ related services, such as printing, wherever they may be. They may also wish to give documents to colleagues electronically, as easily as with paper, face‐ to‐ face, and with similar security characteristics. The Satchel system provides such capabilities in the form of a mobile browser, implemented on a device that professional people would be likely to carry anyway, such as a pager or mobile phone. Printing may be per
19 DDD papers: Software factories: assembling applications with patterns, models,
frameworks and tools
Jack Greenfield, Keith Short
October 2003 Companion of the 18th annual ACM SIGPLAN conference on Object- oriented programming, systems, languages, and applications
Additional Information: <u>full citation</u> , <u>abstract, references, citings, index</u>

Full text available: mpdf(707,51 KB)

terms

The confluence of component based development, model driven development and software product lines forms an approach to application development based on the concept of software factories. This approach promises greater gains in productivity and predictability than those produced by incremental improvements to the current paradigm of object orientation, which have not kept pace with innovation in platform technology. Software factories promise to make application assembly more cost effective thro ...

**Keywords**: design patterns, domain-specific languages, model-driven development, software factories, software product lines

20 <u>Defining and exploring an efficient distributed process for the reuse of Ada software components and tools in a global theater: the Public Ada Library Richard Conn</u>

July 1997 ACM SIGAda Ada Letters, Volume XVII Issue 4

Full text available: pdf(431.41 KB) Additional Information: full citation, index terms

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Search: The ACM Digital Library C The Guide

"web front end"



# THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used web front end

Found 45 of 157,956

Sort results

by

results

Display

relevance

expanded form

window

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 45

Result page: 1 2 3

Relevance scale 🔲 📟 📟 📟

1 Web-based simulation: Managing event traces for a web front-end to a parallel simulation

Boon Ping Gan, Li Liu, Zhengrong Ji, Stephen J. Turner, Wentong Cai December 2001 Proceedings of the 33nd conference on Winter simulation

Full text available: pdf(279,63 KB)

Additional Information: full citation, abstract, references, citings, index · terms

To enhance the widespread use of a parallel supply chain simulator, a web front-end that enables access at any time and from any location has been developed. The front-end provides the capability of model uploading, simulation runs initiation, simulation activities visualization, and simulation statistics collection. Visualizing the simulation activities requires the parallel simulator to record event traces to the file system for displaying purposes. To minimize the negative impact of the recor ...

2 Libraries' new role in electronic scholarly publishing

Andrew E. Treloar

April 1998 Communications of the ACM, Volume 41 Issue 4

Full text available: pdf(156.35 KB) Additional Information: full citation, index terms

3 DDD papers: Software factories: assembling applications with patterns, models, frameworks and tools

Jack Greenfield, Keith Short

October 2003 Companion of the 18th annual ACM SIGPLAN conference on Objectoriented programming, systems, languages, and applications

Full text available: pdf(707.51 KB)

Additional Information: full citation, abstract, references, citings, index

The confluence of component based development, model driven development and software product lines forms an approach to application development based on the concept of software factories. This approach promises greater gains in productivity and predictability than those produced by incremental improvements to the current paradigm of object orientation, which have not kept pace with innovation in platform technology. Software factories promise to make application assembly more cost effective thro ...

Keywords: design patterns, domain-specific languages, model-driven development, software factories, software product lines

4	Designing wrapper components for e-services in integrating heterogeneous systems
	Massimo Mecella, Barbara Pernici August 2001 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 10 Issue 1
	Full text available: pdf(292.68 KB) Additional Information: full citation, abstract, citings, index terms
	Component-based approaches are becoming more and more popular to support Internet-based application development. Different component modeling approaches, however, can be adopted, obtaining different abstraction levels (either conceptual or operational). In this paper we present a component-based architecture for the design of e-applications, and discuss the concept of wrapper components as building blocks for the development of e-services, where these services are based on legacy systems. We dis
	<b>Keywords</b> : Component, Cooperation, Integration, Legacy system, Wrapper, e-application, e-service
5	Managing Intranet technology in an organizational context: toward a "stages of growth" model for balancing empowerment and control Aidan Duane, Pat Finnegan
	December 2000 Proceedings of the twenty first international conference on Information systems
	Full text available: pdf(194,59 KB) Additional Information: full citation, references, citings, index terms
6	Technical and art demonstrations session 2: METIS: a flexible database foundation for unified media management Ross King, Niko Popitsch, Utz Westermann October 2004 Proceedings of the 12th annual ACM international conference on Multimedia
	Full text available: pdf(121.27 KB) Additional Information: full citation, abstract, references, index terms
	Current multimedia database systems largely focus on specific media types and/or application domains. This paper gives a sketch of METIS, a database solution for the unified management of any kind of digital media, characterized by profound customizability for domain or application needs. The system core is based on an expressive data model that can be adapted to any scheme for media management, description, and classification desired, and can accommodate arbitrary query operators, similarity
	Keywords: multimedia database systems, unified media management
7	Industrial papers: databases and service oriented architectures: Model-driven design of service-enabled web applications  Marco Brambilla, Stefano Ceri, Piero Fraternali, Roberto Acerbis, Aldo Bongio  June 2005 Proceedings of the 2005 ACM SIGMOD international conference on
	Management of data  Full text available: pdf(379.86 KB) Additional Information: full citation, abstract, references
	Significant efforts are currently invested in application integration to enable the interaction and composition of business processes of different companies, yielding complex; multiparty processes. Web service standards, based on WSDL, have been adopted as a process-to-process communication paradigm. This paper presents an industrial experience in integrating data-intensive and process-intensive Web applications through Web services.

Design of sites and of Web services interaction exploits mode ...

8	Posters: PDLib: personal digital libraries with universal access
	Francisco Alvarez-Cavazos, David A. Garza-Salazar, Juan C. Lavariega-Jarquin June 2005 Proceedings of the 5th ACM/IEEE-CS joint conference on Digital libraries
	Full text available: pdf(189.56 KB) Additional Information: full citation, abstract, references, index terms

We propose a universally available personal digital library system. It is "personal" in the sense that each user is provided with a general purpose document repository (i.e. a personal digital library). It is "universally available" in the sense that it allows the user to access her/his personal personal digital library from most computing devices connected to the Internet, including mobile phones, PDAs and laptops, therefore granting access "from anyplace at anytime."

Keywords: mobile environment, personal libraries, system architecture, universal access

9 Instant messaging and course diaries

Matthew M. Burke

May 2004 Journal of Computing Sciences in Colleges, Volume 19 Issue 5

Full text available: pdf(118,56 KB) Additional Information: full citation, abstract, references

Having students keep a diary in which they are required to reflect on course material is a proven technique for increasing student mastery of a subject. I am interested in the possibility that using instant messaging as the interface for a diary might offer advantages over a hand-written, paper diary. I discuss my initial experiences using an instant messaging diary and outline future plans for this project.

Wireless sensor networks: The platforms enabling wireless sensor networks Jason Hill, Mike Horton, Ralph Kling, Lakshman Krishnamurthy June 2004 Communications of the ACM, Volume 47 Issue 6

Full text available: pdf(155.72 KB) Additional Information: full citation, abstract, references, citings, index terms

All emphasize low-cost components operating on shoestring power budgets for years at a time in potentially hostile environments without hope of human intervention.

11 Versioning and fragmentation: Fine-grained, structured configuration management for web projects

Tien Nhut Nguyen, Ethan Vincent Munson, Cheng Thao
May 2004 Proceedings of the 13th international conference on World Wide Web

Full text available: Additional Information: full citation, abstract, references, citings, index

Researchers in Web engineering have regularly noted that existing Web application development environments provide little support for managing the evolution of Web applications. Key limitations of Web development environments include line-oriented change models that inadequately represent Web document semantics and in ability to model changes to link structure or the set of objects making up the Webapplication. Developers may find it difficult to grasp how theoverall structure of the Web applica ...

Keywords: software configuration management, version control, web engineering

HTTPExplorer: exploring the hypertext transfer protocol

Volker Turau

June 2003 ACM SIGCSE Bulletin, Proceedings of the 8th annual conference on Innovation and technology in computer science education, Volume 35 Issue 3

Full text available: pdf(942.76 KB) Additional Information: full citation, abstract, references, index terms

This paper presents HTTPExplorer, an interactive tool to explore the Hypertext Transfer Protocol. The intention is to use the tool in a course on web-based applications to support the learning of HTTP, the most significant protocol used on the internet today. A web-based user-interface allows students to contact any HTTP-Server connected to the internet, to issue a request and to make the data flow between a client and the server completely visible. The tool can be used by novices to get first e ...

Keywords: HTTP, WWW, e-learning, simulator

13 Review: Astaro security Linux v4

Jeremy Impson

July 2003 Linux Journal, Volume 2003 Issue 111

Full text available: Mathematical html(11.22)

Additional Information: full citation

14 Flexible consistency checking

Christian Nentwich, Wolfgang Emmerich, Anthony Finkelstein, Ernst Ellmer January 2003 **ACM Transactions on Software Engineering and Methodology (TOSEM)**, Volume 12 Issue 1

Full text available: pdf(1.94 MB)

Additional Information: full citation, abstract, references, index terms

The problem of managing the consistency of heterogeneous, distributed software engineering documents is central to the development of large and complex systems. We show how this problem can be addressed using xlinkit, a lightweight framework for consistency checking that leverages standard Internet technologies. xlinkit provides flexibility, strong diagnostics, and support for distribution and document heterogeneity. We use xlinkit in a comprehensive case study that demonstrates how design, impl ...

**Keywords**: CASE tools, consistency management, constraint checking, multiple perspectives

15 Multimedia issues in digital libraries: How fast is too fast?: evaluating fast forward surrogates for digital video

Barbara M. Wildemuth, Gary Marchionini, Meng Yang, Gary Geisler, Todd Wilkens, Anthony Hughes, Richard Gruss

May 2003 Proceedings of the 3rd ACM/IEEE-CS joint conference on Digital libraries

Full text available: pdf(317.59 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u>

To support effective browsing, interfaces to digital video libraries should include video surrogates (i.e., smaller objects that can stand in for the videos in the collection, analogous to abstracts standing in for documents). The current study investigated four variations (i.e., speeds) of one form of video surrogate: a fast forward created by selecting every Nth frame from the full video. In addition, it tested the validity of six measures of user performance when interacting with video surrog ...

16 Beyond the classroom: Corporate clips
Janet Hartman

June 2003 ACM SIGCSE Bulletin, Volume 35 Issue 2 Full text available: pdf(233,40 KB) Additional Information: full citation 17 Technical papers: software understanding: Hipikat: recommending pertinent software development artifacts Davor Čubranić, Gail C. Murphy May 2003 Proceedings of the 25th International Conference on Software Engineering Full text available: pdf(1.19 MB) Additional Information: full citation, abstract, references, citings, index Publisher Site A newcomer to a software project must typically come up-to-speed on a large, varied amount of information about the project before becoming productive. Assimilating this information in the open-source context is difficult because a newcomer cannot rely on the mentoring approach that is commonly used in traditional software developments. To help a newcomer to an open-source project become productive faster, we propose Hipikat, a tool that forms an implicit group memory from the information stored ... 18 A Linux-based steam turbine test bench Alexandr E. Bravo February 2003 Linux Journal, Volume 2003 Issue 106 Full text available: html(13.82 KB) Additional Information: full citation, abstract, index terms From safety controls to a convenient web front end, Linux is an essential part of this lab. 19 Applications of Java programming: Automatic code generation for database-oriented web applications Branko Milosavljević, Milan Vidaković, Zora Konjović June 2002 Proceedings of the inaugural conference on the Principles and Practice of programming, 2002 and Proceedings of the second workshop on Intermediate representation engineering for virtual machines, 2002 Additional Information: full citation, abstract, references, citings, index Full text available: mpdf(448.02 KB) The paper presents an architecture for database-oriented web applications. Then it introduces concepts which form a foundation for a code generation tool that supports the software construction process in the web application domain. The tool follows simple rules about mapping JavaBean components to the database schema and generates components, as well as a set of standardized JSP pages. The mapping is specified as an instance of an XML Schema document presented here. Efficiency of this tool is a ... 20 Web mining, tools, and performance evaluation: The catacomb project: building a usercentered portal the conversational way Mark Ginsburg November 2002 Proceedings of the 4th international workshop on Web information and data management Full text available: pdf(239.93 KB) Additional Information: full citation, abstract, references, index terms Enterprise computing is marked by large-scale information systems, such as databases, document management, and groupware that present significant obstacles to consistent cross-application use: dissimilar user interfaces, incompatible security schemes, and the undesirable property of serving only parts of the user community (islands of use) and accessing only some of the enterprise knowledge assets (islands of information). World Wide

Web (WWW) architectures do not solve this problem directly. WWW ...

Keywords: ALICE, conversational portal, portal design, query routing

Results 1 - 20 of 45

Result page: 1 2 3 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Search: The ACM Digital Library

"web front end" +legacy +database



# THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used web front end legacy database

Found 1,762 of 157,956

Sort results

Display

relevance by

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

expanded form Open results in a new results window

Best 200 shown

Result page: 1 2 3 4 5 6 7 8 9 10 next

Relevance scale 🔲 📟 📟 🌃

Service deployment for virtual enterprises

J. Yang, W. J. van den Heuvel, M. P. Papazoglou

January 2001 Australian Computer Science Communications, Volume 23 Issue 6

Full text available: pdf(892.19 KB)

Results 1 - 20 of 200

Additional Information: full citation, abstract, references, citings

The ubiquity of the WWW offers far reaching opportunities for emerging web-based applications based on service invocations. Although network-centric technologies will make the diverse services easily accessible via the Web, the development of E-commerce services (e-services) and networked services which share existing e-services is still an ad-hoc, very demanding, and time consuming task. In this paper we propose an integrated framework for e-services spanning legacy systems and modern enterpris ...

Beyond the classroom: Corporate clips

Janet Hartman

June 2003 ACM SIGCSE Bulletin, Volume 35 Issue 2

Full text available: pdf(233,40 KB) Additional Information: full citation

Designing wrapper components for e-services in integrating heterogeneous systems Massimo Mecella, Barbara Pernici



August 2001 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 10 Issue 1

Full text available: 📆 pdf(292.66 KB) Additional Information: full citation, abstract, citings, index terms

Component-based approaches are becoming more and more popular to support Internetbased application development. Different component modeling approaches, however, can be adopted, obtaining different abstraction levels (either conceptual or operational). In this paper we present a component-based architecture for the design of e-applications, and discuss the concept of wrapper components as building blocks for the development of eservices, where these services are based on legacy systems. We dis ...

Keywords: Component, Cooperation, Integration, Legacy system, Wrapper, e-application, e-service

Technical and art demonstrations session 2: METIS: a flexible database foundation for

unified media management

Ross King, Niko Popitsch, Utz Westermann



Full text available: pdf(121.27 KB) Additional Information: full citation, abstract, references, index terms

Current multimedia database systems largely focus on specific media types and/or application domains. This paper gives a sketch of METIS, a database solution for the unified management of any kind of digital media, characterized by profound customizability for domain or application needs. The system core is based on an expressive data model that can be adapted to any scheme for media management, description, and classification desired, and can accommodate arbitrary query operators, similarity ...

**Keywords**: multimedia database systems, unified media management

Virtual database technology

Ashish Gupta, Venky Harinarayan, Anand Rajaraman December 1997 ACM SIGMOD Record, Volume 26 Issue 4

Full text available: pdf(400.13 KB) Additional Information: full citation, citings, index terms

Industrial papers: databases and service oriented architectures: Model-driven design of

service-enabled web applications

Marco Brambilla, Stefano Ceri, Piero Fraternali, Roberto Acerbis, Aldo Bongio June 2005 Proceedings of the 2005 ACM SIGMOD international conference on Management of data

Full text available: 📆 pdf(379,86 KB) Additional Information: full citation, abstract, references

Significant efforts are currently invested in application integration to enable the interaction and composition of business processes of different companies, yielding complex; multiparty processes. Web service standards, based on WSDL, have been adopted as a processto-process communication paradigm. This paper presents an industrial experience in integrating data-intensive and process-intensive Web applications through Web services. Design of sites and of Web services interaction exploits mode ...

Spatio-temporal database support for legacy applications

Michael Böhlen, Christian S. Jensen, Bjørn Skjellaug

February 1998 Proceedings of the 1998 ACM symposium on Applied Computing

Full text available: ndf(955.80 KB) Additional Information: full citation, references, citings, index terms

Keywords: SQL, language design, legacy software, multi-dimensional data, spatial, spatiotemporal data, temporal

HODFA: an architectural framework for homogenizing heterogeneous legacy databases

Kamalakar Karlapalem, Qing Li, Chung-Dak Shum March 1995 ACM SIGMOD Record, Volume 24 Issue 1

Full text available: pdf(653.76 KB) Additional Information: full citation, abstract, index terms

One of the main difficulties in supporting global applications over a number of localized databases and migrating legacy information systems to modern computing environment is



to cope with the heterogeneities of these systems. In this paper, we present a novel flexible architecture (called HODFA) to dynamically connect such localized heterogeneous databases in forming a homogenized federated database system and to support the process of transforming a collection of heterogeneous in ...

9 Corrigenda: a hierarchy-aware approach to faceted classification of object-oriented components



E. Damiani, M. G. Fugini, C. Bellettini

October 1999 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 8 Issue 4

Full text available: mpdf(310.50 KB)

Additional Information: full citation, abstract, references, citings, index

This article presents a hierarchy-aware classification schema for object-oriented code, where software components are classified according to their behavioral characteristics, such as provided services, employed algorithms, and needed data. In the case of reusable application frameworks, these characteristics are constructed from their model, i.e., from the description of the abstract classes specifying both the framework structure and purpose. In conventio ...

10 A hierarchy-aware approach to faceted classification of objected-oriented components E. Damiani, M. G. Fugini, C. Bellettini



July 1999 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 8 Issue 3

Full text available: pdf(310.25 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

This article presents a hierarchy-aware classification schema for object-oriented code, where software components are classified according to their behavioral characteristics, such as provided services, employed algorithms, and needed data. In the case of reusable application frameworks, these characteristics are constructured from their model, i.e., from the description of the abstract classes specifying both the framework structure and purpose. In conven ...

**Keywords:** code analysis, component repositories, component retrieval, software reuse, user feedback

11 Flexible consistency checking



Christian Nentwich, Wolfgang Emmerich, Anthony Finkelstein, Ernst Ellmer January 2003 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 12 Issue 1

Full text available: pdf(1.94 MB)

Additional Information: full citation, abstract, references, index terms

The problem of managing the consistency of heterogeneous, distributed software engineering documents is central to the development of large and complex systems. We show how this problem can be addressed using xlinkit, a lightweight framework for consistency checking that leverages standard Internet technologies. xlinkit provides flexibility, strong diagnostics, and support for distribution and document heterogeneity. We use xlinkit in a comprehensive case study that demonstrates how design, impl ...

**Keywords:** CASE tools, consistency management, constraint checking, multiple perspectives

12 Harp: a distributed query system for legacy public libraries and structured databases Ee-Peng Lim, Ying Lu



# July 1999 ACM Transactions on Information Systems (TOIS), Volume 17 Issue 3 Additional Information: full citation, abstract, references, citings, index Full text available: pdf(196.58 KB) terms, review The main purpose of a digital library is to facilitate users easy access to enormous amount of globally networked information. Typically, this information includes preexisting public library catalog data, digitized document collections, and other databases. In this article, we describe the distributed query system of a digital library prototype system known as HARP. In the HARP project, we have designed and implemented a distributed query processor and its query front-end to support integr ... Keywords: Internet databases, digital libraries, interoperable databases 13 Wireless sensor networks: The platforms enabling wireless sensor networks Jason Hill, Mike Horton, Ralph Kling, Lakshman Krishnamurthy June 2004 Communications of the ACM, Volume 47 Issue 6 Full text available: pdf(155.72 KB) Additional Information: full citation, abstract, references, citings, index (4) html(29,37 KB) terms All emphasize low-cost components operating on shoestring power budgets for years at a time in potentially hostile environments without hope of human intervention. 14 Integrating legacy systems with modern corporate applications Paul Robertson May 1997 Communications of the ACM, Volume 40 Issue 5 Full text available: Additional Information: full citation, references, citings, index terms 15 Putting it together: Web services for the people Win Treese December 2002 netWorker, Volume 6 Issue 4 Full text available: pdf(466,25 KB) Additional Information: full citation, abstract, index terms (11.64 KB) I don't know about you, but sometimes I have trouble remembering when my library books are due. Of course, it can get complicated with several people in the family checking out books and more than one library account. A long time ago, when all you checked out of a library were books, they usually had the same due date. Books were due every two weeks like clockwork. But libraries have changed. Besides books, you can get CDs, DVDs, rental books, audio tapes, and more, each with its own lending per ... 16 Session 3: Techniques and applications of software evolution: Recycling software components extracted from legacy programs Harry M. Sneed September 2001 Proceedings of the 4th International Workshop on Principles of Software Evolution

This paper depicts yet another approach to cope with legacy software systems, a struggle that began already in the early 1980's with the development of the first restructuring tools and has continued throughout the last 20 years with only modest success. In the meantime, reengineering technology has subsided and is now in the process of being replaced by new techniques aimed towards the reuse of existing software in modern distributed architectures. Such reuse presupposes a recycling process to ...

Full text available: pdf(690.20 KB) Additional Information: full citation, abstract, references

Keywords: measurement, reengineering, reuse, slicing, software recycling, wrapping

JSPIM transformation Yu Ping, Jianguo Lu, Terence C. October 2003 Proceedings of th	Additional Information: <u>full citation</u> , <u>abstract</u> , <u>references</u> , <u>index terms</u> e, the porting and adaptation of existing Web applications to cement has become an issue of increasing importance. advancement include extensible architectural designs, more and provision for customizable dynamic content delivery. This export on the migration of legacy IBM® Net.Data® based	
10th annual conf	OPS Messenger , Addendum to the proceedings of the erence on Object-oriented programming systems, pplications (Addendum), Volume 6 Issue 4	
December 1998 Communication	lski, Michael Blanks, Niall Emmart	•
databases Eric A. Wernert, Jagannathan La March 2005 Proceedings of the Full text available: pdf(235.41 KB)  We describe the design and in a scalable and flexible softwa of hierarchical relations typica visualizing and printing pedig implementation based on mo- university's center of heredita	2005 ACM symposium on Applied computing	
Results 1 - 20 of 200	Result page: 1 2 3 4 5 6 7 8 9 10 next	

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	533	(legacy adj (database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:45
L2	6	1 and (cool adj ice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:17
L3	1025	(cool adj ice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:45
L4	23	3 and ("709"/\$.ccls. or "707"/\$. ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:46
L5	1	1 and (web adj front adj end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:45
L6	187	(web adj front adj end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:45
L7	0	6 and (cool adj ice)		OR	ON	2005/06/23 15:45
L8	108	6 and (database or (data adj base))	US-PGPUB; USPAT; ÈPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:46
L9	49	6 same (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:46

L10	11	9 and ("709"/\$.ccls. or "707"/\$. ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT;	OR	ON	2005/06/23 15:46
		ccis. 01 /1/ /\$.ccis./	EPO; JPO;			
			DERWENT; IBM_TDB			



Search: The ACM Digital Library C The Guide

USPTO

# THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

# A hierarchy-aware approach to faceted classification of objected-oriented components

Full text

<u>∰Pdf</u> (310 KB)

Source

ACM Transactions on Software Engineering and Methodology (TOSEM) archive

Volume 8, Issue 3 (July 1999) table of contents

Pages: 215 - 262

Year of Publication: 1999

ISSN:1049-331X

Authors

E. Darniani Univ. Statale di Milano, Polo di Crema, Crema, Italy

M. G. Fugini Politechnico di Milano, Milan, Italy C. Bellettini Univ. Statale di Milano, Milan, Italy

Publisher

ACM Press New York, NY, USA

abstract references citings index terms review collaborative colleagues peer to Additional Information:

Tools and Actions:

Find similar Articles Review this Article Discussions

Save this Article to a Binder Display Formats: BibTex EndNote ACM Ref

DOI Bookmark:

Use this link to bookmark this Article: <a href="http://doi.acm.org/10.1145/310663.310665">http://doi.acm.org/10.1145/310663.310665</a>

What is a DOI?

# ↑ ABSTRACT

This article presents a hierarchy-aware classification schema for object-oriented code, where software components are classified according to their behavioral characteristics, such as provided services, employed algorithms, and needed data. In the case of reusable application frameworks, these characteristics are constructured from their model, i.e., from the description of the abstract classes specifying both the framework structure and purpose. In conventional object libraries, the characteristics are extracted semiautomatically from class interfaces. Characteristics are term pairs, weighted to represent "how well" they describe component behavior. The set of characteristics associated with a given component forms its software descriptor. A descriptor base is presented where descriptors are organized on the basis of structured relationships, such as similarity and composition. The classification is supported by a thesaurus acting as a language-independent unified lexicon. The descriptor base is conceived for developers who, besides conventionally browsing the descriptors hierarchy, can query the system, specifying a set of desired functionalities and getting a ranked set of adaptable candidates. User feedback is taken into account in order to progressively ameliorate the quality of the descriptors according to the views of the user community. Feedback is made dependent of the user typology through a user profile. Experimental results in terms of recall and precision of the retrieval mechanism against a sample code base are reported.

#### ↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

D. Vijay Rao , V. V. S. Sarma, A rough: fuzzy approach for retrieval of candidate components for software reuse, Pattern Recognition Letters, v.24 n.6, p.875-886, March 2003

Fabio A. Schreiber, Alberto Belussi, Valeria De Antonellis, Maria Grazia Fugini, Giuseppe Pozzi, Letizia Tanca, Luca Tosi, The design of a web-geographical information system: an experience in the integration of territorial reclamation support services, Web-enabled systems integration: practices and challenges, Idea Group Publishing, Hershey, PA, 2003

C. Bellettini, E. Damiani, M. G. Fugini, User opinions and rewards in a reuse-based development system, Proceedings of the 1999 symposium on Software reusability, p.151-158, May 21-23, 1999, Los Angeles, California, United States

#### ♠ INDEX TERMS

### **Primary Classification:**

H. Information Systems

+ H.3 INFORMATION STORAGE AND RETRIEVAL

#### **General Terms:**

Documentation

#### Keywords:

code analysis, component repositories, component retrieval, software reuse, user feedback

## ↑ REVIEW

"Friedrich Gebhardt"

The task considered here is to index and retrieve software components from an object-oriented software library. Indexing is by verb-noun pairs, such as "Get Document" or "Restore Cursor." These descriptors, called features, are initially taken automatically from the software code: essentially, the system combines each method provided by the software component with its first argument. The details differ depending on the library type; libraries are either conventional software libraries or application frameworks. Each descriptor is given a weight. The hierarchy provided by the library is also exploited. The descriptors and weights may be changed by the application engineer. Consistency in the choice of features is essential, and is achieved, for instance, by a naming discipline in the software library. The retrieval index is divided into several parts, called facets, which are defined by the application engineer. A software component may have descriptors in one or more facets; identical descriptors may appear in several facets; and a search may cover one or more facets. An affinity between descriptors, wrongly called "synonymy," is computed for expanding queries. Some ideas for user feedback are added. The retrieval experiments described essentially use five queries on 95 software components. Unfortunately, the text is often unclear or incomplete. For instance, the definition of descriptors mentions elements C1 to CC without explaining what they mean. Some figures are incomprehensible, in part due to missing letters (probably because of some software incompatibility). While one may guess that "emove" should read "Remove," the meanings of "odiy" (Modify) and "D cIte" (DocItem) are harder to figure out, and other terms remain mysterious. Online Computing Reviews Service

# ↑ Collaborative Colleagues:

C. Bellettini: E. Damiani M. G. Fugini